

# How to setup efi stub

get uuid of the root partition, also set the correct disk and partition in the commands and replace with current uuid of your root partition.

Make sure to change your cmdline parameters as you need them.

```
# Linux zen kernel
```

```
sudo efibootmgr --create --disk /dev/nvme0n1 --part 1 --label "Arch Linux" --loader /vmlinuz-linux-zen --unicode 'root=UUID="b3e4dcc5-be66-43e6-a66c-42c5d4a25e73" rootfstype=btrfs rootflags=subvol=256 quiet loglevel=3 systemd.show_status=auto rd.udev.log_level=3 vt.global_cursor_default=0 nmi_watchdog=0 zswap.enabled=0 nvidia-drm.modeset=1 rcutree.rcu_idle_gp_delay=1 rw initrd=\amd-ucode.img initrd=\initramfs-linux-zen.img'
```

```
# linux lts kernel
```

```
sudo efibootmgr --create --disk /dev/nvme0n1 --part 1 --label "Arch Linux LTS" --loader /vmlinuz-linux-lts --unicode 'root=UUID="b3e4dcc5-be66-43e6-a66c-42c5d4a25e73" rootfstype=btrfs rootflags=subvol=256 quiet loglevel=3 systemd.show_status=auto rd.udev.log_level=3 vt.global_cursor_default=0 nmi_watchdog=0 zswap.enabled=0 nvidia-drm.modeset=1 rcutree.rcu_idle_gp_delay=1 rw initrd=\amd-ucode.img initrd=\initramfs-linux-lts.img'
```

```
# linux zen kernel with debug
```

```
sudo efibootmgr --create --disk /dev/nvme0n1 --part 1 --label "Arch Linux Debug" --loader /vmlinuz-linux-zen --unicode 'root=UUID="b3e4dcc5-be66-43e6-a66c-42c5d4a25e73" rootfstype=btrfs rootflags=subvol=256 nmi_watchdog=0 zswap.enabled=0 nvidia-drm.modeset=1 rcutree.rcu_idle_gp_delay=1 rw initrd=\amd-ucode.img initrd=\initramfs-linux-zen.img'
```

---

Revision #2

Created 25 March 2024 18:44:12 by CronyAkatsuki

Updated 25 March 2024 18:45:57 by CronyAkatsuki